

Nov
AUTOMAX
MOTORS FZE



أوتوماكس
للسيارات م.م.ح



CHARGER
LAST CALL



DESIGNED IN:

ASSEMBLED IN:

نوفى
أوتوماكس
للسيارات
معرض
AUTOMAX
MOTORS FZE
117



Nov
AUTOMAX
MOTORS FZE



أوتوماكس
للسيارات
١١٧



Nov
AUTOMAX
MOTORS FZE



نوفيا
أوتوماكس
للسيارات
م.م.ج
١١٧



AUTOMAX
MOTORS FZE



أوتوماكس
للسيارات
م.م.ح

١١٢



Nov
AUTOMAX
MOTORS FZE

أوتوماكس
للسيارات مرص

نوفيا
١١٧









SRT

LO FM 100.3 15:10 75° out

Performance Pages

- Home
- Timers
- Gauges
- G-Force
- Engine
- Dyno
- 100.3
- Media
- Climate
- Controls
- Apps
- Phone
- 50

ENGINE START STOP

- MUTE
- LAUNCH
- OFF
- AUTO



OK

SRT



VR



SRT

SET+

CANC



RES

SET-



N

1. Speedometer

26°C



0
km/h

P
R
N
M·D



Press OK for MPH
27 km





N 3. Performance 26°C

40



Lap Timer
Press OK to Start
Hold OK to Reset
27 km

125
75
°C

P
R
N
M·D
F
E





N 3. Performance 26°C
 (40) 1 00:00.00
 2 00:00.00
 3 00:00.00
 4 00:00.00
 5 00:00.00
 125
 75 °C
 Lap History
 Hold OK to Reset
 27 km
 P
 R
 N
 M·D
 F
 E





N

4. Fuel Economy 26°C

(40) Range Low

125

75 °C

23.5
L/100km

Average
Hold OK to Reset
27 km

P
R
N
M·D
F
E





N 3. Performance 26°C

40

0.60g

0.74g 0.91g

0.72g

Peak G-Forces
Hold OK to Reset
27 km

125

75 °C

P R N M D F E

The central digital display shows a car icon with a '40' in a circle. It displays four g-force values: 0.60g (top), 0.74g (left), 0.91g (right), and 0.72g (bottom). Below these is a 'Peak G-Forces' section with 'Hold OK to Reset' and '27 km'. On the left, there are temperature indicators for 125 and 75 °C. On the right, a gear selector shows 'P', 'R', 'N', 'M', 'D', 'F', and 'E'.





N 3. Performance 26°C

40

000 m

Not Ready

From 000 km/h

Braking Distance

27 km

125

75 °C

P R N M·D F E





N 3. Performance 26°C

40

0.01g

0.00g 0.00g

0.00g

Current G-Forces

27 km

125

75 °C

P R N M D F E





N

5.

Trip Info

26°C

40

27.9 km

23.5 L/100km

125

05:20:31

75

Trip A

Hold OK to Reset
27 km

°C

P
R
N
M
D
F
E





N 6. Audio 26°C

(40)

SMS: 3665 Pho...
STAR FM
 FM 99.9

125
75
°C

27 km

P
R
N
M·D
F
E





LO FM 100.3 15:12 75° out. LO

Controls ✕

Driver

HI
LO Heated Seat

HI
LO Vented Seat

Heated Wheel

Mirror dimmer

Settings

Passenger

Heated Seat HI
LO

Vented Seat HI
LO

100.3
Media Climate Controls Apps Phone Settings Performa..

LO FM 100.3 15:11 75° out. LO

Press and hold icons to drag to menu bar below.

 SRT Mode	 Dashboard	 Driver Heat	 Driver Vent
 Passenger Heat	 Passenger Vent	 Projection Manager	 Wi-Fi Hotspot
 SOS	 Assist	 Activate Services	 Notifications

100.3						
Media	Climate	Controls	Apps	Phone	Settings	Performa..

LO FM 100.3 15:12 75° out. LO

← **Race Options** i

Line Lock

Launch Control █

Shift Light

Race Cooldown

Engine Holding RPM

100.3 Media Climate Controls **Apps** Phone Settings Performa..

1500 RPM

2500 MAX

1000 MIN

Activate Launch Control █

▲

▼

LO

FM 100.3

15:11

75° out.

LO

SRT
Dashboard

Track

Sport

Custom

Auto

X

Power: 717

Transmission: Street

Paddle Shifters: On

Traction: Street

Suspension: Street

Steering: Sport



Red Key

Auto Set-Up



Race Options

Valet

Eco

100.3



Media

Climate

Controls

Apps

Phone

Settings

Performa..

LO FM 100.3 15:11 75° out. LO

SRT
Dashboard **Track** Sport **Custom** Auto

Power: 717

Transmission: Street
Paddle Shifters: On

Traction: Street
Suspension: Street
Steering: Street



Red Key

Custom Set-Up Race Options Valet Eco

100.3
Media Climate Controls **Apps** Phone Settings Performa..

LO FM 100.3 15:10 75°out. LO

SRT Dashboard **Performance Pages**

Home
Timers
Gauges
G-Force
Engine
Dyno

0
hp
Power

P
(1-8)
Current Gear

G-Force
Click to Add Widget

100.3

Media Climate Controls Apps Phone Settings **Performa.**

ENGINE
START
STOP

LO FM 100.3 15:11 75° out. LO

SRT
Dashboard **Performance Pages**

	Drag	Accel & Braking		Save
		Recent	Last	Best
Timers	Reaction Time	Not Used	--	--
Gauges	60 ft	Cancel	4.25	2.86
	330 ft	Cancel	0.0	0.0
G-Force	1/8 ET	Cancel	0.0	0.0
	1/8 Speed	Cancel	0 mph	0 mph
Engine	1000 ft	Cancel	0.0	0.0
	1/4 ET	Cancel	0.0	0.0
Dyno	1/4 Speed	Cancel	0 mph	0 mph

LO FM 100.3 15:11 75° out. LO

SRT
Dashboard Performance Pages < 1 >

Home



Timers

Gauges

G-Force

Engine

Dyno



100.3

Media



Climate



Controls



Apps



Phone



Settings



Performance

ENGINE

LO FM 100.3 15:11 75° out. LO

SRT Dashboard Performance Pages

Home
Timers
Gauges
G-Force
Engine
Dyno

100.3
Media

18
In.Hg

0 30 20 800 850
2 LB-FT
0 hp

Power
Torque
Boost Pressure
Gear
P


Climate Controls Apps Phone Settings Performance

ENGINE
START
STOP

LO FM 100.3 15:11 75°out. LO

SRT
Dashboard **Performance Pages**

Home **Power** **Torque** History + Gear: On
30 Seconds



100.3 **Performa..**



LO FM 100.3 15:13 75° out. LO

SRT Dashboard Performance Pages

Home **Power** **Torque** History Gear: On
30 Seconds

Timers 800
600
Gauges 400
200
G-Force 0
Engine 7
6
5
4
3
2
1
Dyno

100.3

Media Climate Controls Apps Phone Settings **Performa.**



LO FM 100.3 15:12 75° out. LO



Race Options




Line Lock

Line Lock ready

Launch Control

Shift Light

Race Cooldown



Activate Line Lock Control

100.3



Media

Climate

Controls

Apps

Phone

Settings

Performa..

LO FM 100.3 15:12 75° out. LO

Race Options

Shift Light Shows In Cluster

Line Lock

Launch Control

Shift Light

Race Cooldown

Shift Light On

Shift Light Off

Shift Light RPM Set-Up

100.3

Media



Climate



Controls



Apps



Phone



Settings




Performance



LO **FM 100.3** 15:12 75°out. LO

← **Race Cooldown** ⓘ ✖



100.3 **Media** Climate Controls **Apps** Phone Settings Performa..

FM 100.3 15:12 75° out.   

Max A/C A/C  Auto  Front  Rear

 Controls

Off  1 2 3 4 5 6 7  Sync


100.3      

Media **Climate** Controls Apps Phone Settings Performa..

LO FM 100.3 15:18 75° out. LO

Settings > Audio

- Balance/Fade
- Equaliser
- Speed Adjusted Vol.
- Aux Volume Offset
- Auto Play



100.3
Media Climate Controls Apps Phone Settings Performa..

MUTE  SCREEN OFF

SRT LAUNCH  OFF  OFF

VOLUME 

TUNE
BROWSE
ENTER
SCROLL

FRONT    OFF  A/C

REAR   AUTO  







2



AUX



1










WARNING
DO NOT use the sunroof if the vehicle is tilted more than 30 degrees from level. Do not use the sunroof if the vehicle is on a steep incline or decline. Do not use the sunroof if the vehicle is on a wet or icy surface. Do not use the sunroof if the vehicle is on a surface that is not level. Do not use the sunroof if the vehicle is on a surface that is not paved. Do not use the sunroof if the vehicle is on a surface that is not smooth. Do not use the sunroof if the vehicle is on a surface that is not flat. Do not use the sunroof if the vehicle is on a surface that is not even. Do not use the sunroof if the vehicle is on a surface that is not level. Do not use the sunroof if the vehicle is on a surface that is not paved. Do not use the sunroof if the vehicle is on a surface that is not smooth. Do not use the sunroof if the vehicle is on a surface that is not flat. Do not use the sunroof if the vehicle is on a surface that is not even.

DO NOT use the sunroof if the vehicle is tilted more than 30 degrees from level. Do not use the sunroof if the vehicle is on a steep incline or decline. Do not use the sunroof if the vehicle is on a wet or icy surface. Do not use the sunroof if the vehicle is on a surface that is not level. Do not use the sunroof if the vehicle is on a surface that is not paved. Do not use the sunroof if the vehicle is on a surface that is not smooth. Do not use the sunroof if the vehicle is on a surface that is not flat. Do not use the sunroof if the vehicle is on a surface that is not even.



SRS
AIRBAG







ALPINE
SOUND SYSTEM















SRT







CHARGER®

SRRT



Nov
AUTOMAX
MOTORS FZE
117



أوتوماكس
السيارات
117





Nov
AUTOMAX
MOTORS FZE



أوتو ماكس
للسيارات
م.م.ح

2020





لمشاهدة صورة السيارة بزاوية 360 درجة إضغط على الصورة أعلاه

Для просмотра автомобиля в формате 360°, пожалуйста, нажмите на фото выше.

To view the 360° degree please press on the picture above

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

"LAST CALL"

Бренд: Dodge

Brand: Dodge

الماركة: دودج

Категория: Charger

Category: Charger

الفئة: تشارجر

Модель: SRT HELLCAT

Model: SRT HELLCAT

الموديل: SRT HELLCAT

Год: 2023

Year: 2023

السنة: 2023

Километры: 0 км

Kilometers: 0 Km

كيلومترات: 0 كم

Двери: 4 двери

Doors: 4 Doors

عدد الأبواب: 4 أبواب

Цвет: Голубой

Color: B5 Blue

اللون: أزرق

Цилиндр: 8

Cylinder: 8 Cylinders

عدد الاسطوانات: 8 اسطوانات

Лошадиные силы: 717 HP

Horsepower: 717 HP

عدد الأحصنة: 717 حصان

Трансмиссия: Автоматическая

Transmission: Automatic

نوع النقل: نقل أوتوماتيكي

Топливо: Бензин

Fuel: Gasoline

نوع الوقود: بنزين

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

HELLCAT LOGO LAGUNA LEATHER SEAT

BLACK

ALL SPEED TRACTION CONTROL

ALL VEHICLES W/ABS BRAKES

VENTILATED FRONT SEATS

PREMIUM LAGUNA DOOR TRIM PANEL

ALL SEATS WITH LEATHER TRIM

SEAT BELTS - BLACK

8-SPD AUTO HP90 TRANSMISSION

AUTOSTICK (R) AUTOMATIC TRANSMISSION

6.2L SUPERCHARGED HEMI V8 SRT ENGINE

AUTO DIM EXTERIOR DRIVER MIRROR

COMPASS GAUGE

GPS ANTENNA INPUT

HEATED FRONT SEATS

HEATED SECOND ROW SEATS

EXTERIOR MIRRORS COURTESY LAMPS

RADIO/DRIVER SEAT/MIRRORS MEMORY

AUTO ADJUST IN REVERSE EXT MIRRORS

BRIGHT CHARGER BADGE

DUAL BRIGHT EXHAUST TIPS

EXTERIOR MIRRORS W/HEATING ELEMENT

B5 BLUE PEARL COAT

ALL RADIO EQUIPPED VEHICLES

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

HD RADIO

8.4" TOUCHSCREEN DISPLAY

APPLE CARPLAY

GOOGLE ANDROID AUTO

USB HOST FLIP

2-PIECE SHARK FIN ANTENNA

SIRIUSXM SATELLITE RADIO

SIRIUSXM GUARDIAN, 1-YR TRIAL

MEDIA HUB (2 USB, AUX)

INTEGRATED CENTER STACK RADIO

4G LTE WI-FI HOT SPOT

ALL VP4R RADIOS

PIRELLI BRAND TIRES

ALL ALUMINUM WHEELS

BLIND SPOT AND CROSS PATH DETECTION

TIRE SERVICE KIT

FRONT/REAR CLIMATE CONTROL OUTLETS

INTEGRATED VOICE COMMAND W/BLUETOOTH

HUMIDITY SENSOR

SIRIUSXM RADIO SERVICE

8 ADDITIONAL GALLONS OF GAS

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

Launch Control

SRT Performance Pages

SRT Mode

Brembo Brakes

Круиз-контроль

Рулевое Колесо с Подогревом

Вентиляция и Подогрев Сидений

Люк

Камера Заднего Вида

Регулировка Режимов Вождения

Alpine Премиальная Мультимедийная Система

Система Экстренного Торможения

Автоматический Багажник

Система Мониторинга Слепых Зон

Бесключевой Доступ

Боковые Зеркала с Подогревом

Регулируемые Сиденья с Памятью Положений

Apple CarPlay & Android Auto

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

* المواصفات الإضافية:

Launch Control

SRT Performance Pages

SRT Mode

Brembo Brakes

مثبت سرعة

خاصية التبريد والتدفئة للمراتب

خاصية التدفئة للمقود والمرآة الجانبية

فتحة سقف

نظام صوتي متقدم من Alpine

خاصية الكشف عن النقطة العمياء

كاميرا رجوع خلفية

مراتب كهربائية متعددة الأوضاع مع خاصية الذاكرة

* الأداء :

ناقل الحركة أوتوماتيكي

عدد الأسطوانات: 8 أسطوانات

سعة المحرك: 6.2 لتر

عدد الأحصنة: 717 حصان

العزم: 881 نيوتن/متر

دفع خلفي

2023 DODGE CHARGER SRT HELLCAT WIDEBODY SUPERCHARGED HEMI 6.2L V8 0Km

نظام تعليق تكييفي

شاشة كبيرة تعمل باللمس مقاس 8.4 بوصة

فرامل متقدمة عالية الأداء

حامل أكواب خلفي مزدوج

التشغيل عن بعد

دخول بصمة

خاصية عرض ضغط الإطارات

وضعية قيادة متعددة

جنوط قياس 20 بوصة

أبل كاربلاي



أندرويد أوتو

AUTOMAX®

The Boutique Of Muscle Cars, Truck Fanatics & German Automotive Experts.



تتکلم اللغة العربية

WE SPEAK ENGLISH

ON PARLE LE FRANCAIS

Nosotros hablamos español

мы говорим по-русски

biz o'zbek tilida

gaplashamiz

हम हिंदी बोलते हैं



automaxgroup.me



[automax group](https://www.youtube.com/automaxgroup)



[automax.dxb](https://www.snapchat.com/add/automax.dxb)



[Automax_LLC](https://www.telegram.com/Automax_LLC)



[+971 54 279 8990](https://www.whatsapp.com/+971542798990)



[automax.dxb](https://www.instagram.com/automax.dxb)



[automax.dxb](https://www.facebook.com/automax.dxb)



[automax.dxb](https://www.tiktok.com/automax.dxb)



[automax_dxb](https://www.x.com/automax_dxb)



[automax group L.L.C](https://www.linkedin.com/company/automax-group-l-l-c)

New Auto Market - Dubai - United Arab Emirates

[Directions](#)